

I1

load is applied to a given support by any attached tie-member, the load is not transferred to any other tie-member connected to that support. - -

IN THE CLAIMS:

Please cancel claims 11-13.

Please add the following new claims:

Sub  
J1

I2

14. A method for treating patients with disturbed posture and motor activity, said method comprising:

placing the patient within a device that includes supports located in a region of the patient's shoulders, elbows, hands, fingers, waist, knees, and feet, the device also including elastic tie-members interconnecting the supports, the device also including and a plurality of adjusters, each adjuster from the plurality of adjusters interposed between one of the elastic tie-members and one of the supports, wherein each of the adjusters is a band having a first end connected to the respective elastic tie-member and a second end held in a lock located on the respective support;

positioning the shoulder supports to substantially cover the patient's shoulders;

locating the elastic tie-members on body surfaces of the patient in antagonistic pairs with due account of an anatomical arrangement of the patient's skeletal muscles.

L

2  
15.

The method of claim 14, further comprising:

tensioning the tie-members via an adjuster until a new position of the patient's trunk and limbs is established which approximates the normal physiological position.

3  
16. The method of claim 14, further comprising:  
tensioning the tie-members via an adjuster until a new position of the patient's trunk and limbs is established which approximates the normal physiological position, the adjuster having one end connected to the tie-member and another end connected to a lock that is fastened on one of the supports.

4  
17. The method of claim 14, further comprising:  
performing movements of the patient's limbs with an amplitude close to the maximum amplitude for the patient.

5  
18. The method of claim 14, further comprising:  
tensioning the tie-members associated with a given limb via an adjuster until a new position of the limb is established which approximates the normal physiological position of that limb;  
performing a movement of the limb with an amplitude close to the maximum amplitude for the patient; and  
increasing the tension of the tie-members associated with the limb until a load appears in the group of muscle corresponding to the movement.

12

6  
19. The method of claim 14, further comprising:  
moving the patient's limbs in accordance with a treatment plan.

sub  
20. A device for treatment of patients with disturbed posture and motor activity, said device comprising:  
supports that, in an operative configuration, are located in a region of the patient's shoulders, elbows, hands, fingers, waist, knees, and feet, said supports that are located in the region of the patient's shoulders substantially covering the patient's shoulders;

L

elastic tie-members interconnecting said supports and that, in an operative configuration, are placed on a body surface of the patient in antagonistic pairs with due account of an anatomical arrangement of the patient's skeletal muscles; and

a plurality of adjusters interposed between the elastic tie-members and the respective supports, wherein each adjuster from said plurality of adjusters is a band having a first end connected to the respective elastic tie-member and a second end held in a lock located on the respective support.

8  
21. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's knee, in an operative configuration, is positioned to substantially cover the patient's knee. ✓

9  
22. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's knee, in an operative configuration, is positioned to substantially cover and closely surround the patient's knee.

12  
23. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's elbow, in an operative configuration, is positioned to substantially cover the patient's elbow.

11  
24. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's elbow, in an operative configuration, is positioned to substantially cover and closely surround the patient's elbow.

12  
25. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's ankle, in an operative configuration, is positioned to closely surround the patient's ankle.

13  
26. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's wrist, in an operative configuration, is positioned to closely surround the patient's wrist.

14  
27. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's waist, in an operative configuration, is positioned to closely surround the patient's waist.

15  
28. The device of claim 20, wherein each of said supports that is positioned in the region of the patient's hand, in an operative configuration, is positioned to closely surround the patient's hand.

sub B  
12  
29. A device for treatment of patients with disturbed posture and motor activity, said device comprising:  
supports that, in an operative configuration, substantially cover the patient's shoulders, elbows, hands, fingers, waist, knees, and feet;  
a plurality of elastic tie-members that interconnect said supports, each tie-member from said plurality of tie-members interconnecting two of said supports, and, in an operative configuration, said plurality of tie-members are placed on a body surface of the patient in antagonistic pairs with due account of an anatomical arrangement of the patient's skeletal muscles; and  
a plurality of adjusters interposed between the elastic tie-members and the respective supports, each adjuster from said plurality of adjusters including a band having a first end connected to the respective elastic tie-member and a second end held in a lock located on the respective support.

17  
30. The device of claim 29, wherein said supports, in an operative configuration, closely surround the patient's shoulders, elbows, hands, fingers, waist, knees, and feet.